

TL - 10 - 24 - 57 TRUCK LOADER



TRUCK LOADER FEATURES:





HATZ DIESEL ENGINE



POWERFUL 56 HP ELECTRIC MOVEABLE DISCHARGE SPOUT



CENTRALIZED ENGINE AND CONVIENIENT RIDE-ALONG **CONVEYOR CONTROLS**

PLATFORM

MORE FEATURES:





CANOLA AND OIL SEED FRIENDLY

COVERS FOR HOPPER AND
ENGINE INCLUDED



- SELF-LEVELING CONSTANT LEVEL HOPPER SYSTEM
- RIGID MAIN TUBE WITHOUT CABLE SUPPORTS
- DIRECT DRIVE ENGINE MOUNTED HYDRAULIC PUMP
- PROVEN PINCH ROLLER DRIVE SYSTEM
WITH LONGER LASTING 6" DRIVE ROLLER

TRUCK LOADER SPECS:

Performance	TL-10-24-57 Truck Loader	
Grain Capacity - Tons/Min	5.5 t/min	
Dimensions:		
Tube Size	10"	25cm
Belt Width	24"	61cm
Overall Length	57′	17.4m
Conveyor Length at 15 Degrees	55′	16.8m
Conveyor Length at 31 Degrees	48'6''	14.8m
Minimum Discharge Height	10'	3.2m
Maximum Discharge Height	26′	7.9m
Features		
Self Propelled	Standard	
Stand On Platform	Standard	
High Performance Hatz Diesel Turbo Engine	Standard	
Includes Engine and Hopper Covers	Standard	
Canola Certified	Standard	
Light Kit	Standard	
Hydraulic Lift Cylinder	Standard	
Directional Spout	Standard	



IMPORTED & DISTRIBUTED BY:

Wahroonga Enterprises Pty Ltd 4533Wimmera Hwy, Marnoo Vic 3387 Ph. 03 5359 2322 www.wemachinery.com.au